

Index for Volume 66 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

- Abawi, G. S., 390, 942
Abney, T. S., 790, 822
Aceratagallia obscura, nonvector for spiroplasma, 669
Acremonium
 crotocinigenum, on *Syngonium*, leaf spot on, nomenclature, 421, (422)
 strictum, on sorghum, new U.S. disease, 863, (863, 864)
Addor, E., 861
Aeschynanthus pulcher, *Corynespora* leaf spot of, symptom, 739, (739)
African cassava mosaic, heat therapy for, 475
Agrobacterium radiobacter, on cotton, in Israel, 1200 (1200)
Aguiero, V. M., 63
Ahmed, M. K., 741
Albregts, E. E., 261, 856
Alcorn, S. M., 236, 662
Alexander, S. A., 211
Alfalfa
 anthracnose of, resistance to race 2, 48
 Cylindrocladium root and crown rot in Hawaii, 947
 Stemphylium leaf spot of, light and moisture effect, 291
 Verticillium wilt of, first occurrence in Wyoming, 1080
Alfalfa mosaic virus, on *Pachysandra terminalis*, 1195
Alfieri, S. A., Jr., 345
Allen, R. M., 669
Allen, S. J., 922
Al-Musa, A., 330, 561
Alternaria sp.
 on papaya and apple, fruit rot, 357, (364)
 on schefflera, irrigation effect, 673
 alternata
 on *Calathea*, leaf spot of etiology, 953, (954)
 on pea, foliage and pod blight from, 328, (328, 329)
 cassiae, on *Cassia obtusifolia*, seedling blight, 426, (427)
 helianthi, on sunflower, in Ohio, 509
Alvarez, A. M., 37
Ambrosia artemisiifolia, *Pseudomonas syringae* on, new host, 71
American Phytopathological Society
 annual meeting program, 1982, 607
 membership, editorial, 4
 sustaining associates, 92
Anand, S. C., 933
Anderson, T. R., 1144, 1146
Andrade, O., 893
Andrews, M. W., 495
Andropogon spp., *Ascochyta* leaf spot on, 502, (503, 504)
Anjaneyulu, A., 54
Anjos, J. R. N., 67
Anthonomus grandis, alimentary canal of, cotton boll rot fungi passage, 1049
Antibiotic
 bacterial bentgrass disease control, 804
 oxytetracycline hydrochloride yellows diseases controlled by, 539
Apple
 Brooks fruit spot of, fungicides for, 564
 canker fungi on, resistance to, 1027
 decay of, calcium treatment for, 402
 discoloration in, low-oxygen effect, 1119, (1119)
 diseases of, bitertanol for control, 580
 Penicillium blue mold of, postharvest chemical control, 829
 Phomopsis fruit decay, 1073, (1074)
 root fungi of, role of replant site, 942, (943, 944)
Aragaki, M., 421, 1136
Arceuthobium
 pusillum, on black spruce, in Newfoundland, 312, (314)
 tsugense, on hemlock, in Alaska, 852, (853)
Areca palm, *Helminthosporium* leaf spot of, irrigation effect, 673
Armillaria mellea, on conifers in Oregon forest, 240
Armoracia rusticana (see also Horseradish)
 curly top virus of, brittle root from, 650, (651)
Ascochyta
 brachypodii, on grasses, leaf spots, 502, (503, 504)
 caricae, on papaya, fruit rot, 357, (359)
Asparagus
 rust of, resistance to, 904
 Stemphylium vesicarium on, new disease, 1198, (1199, 1200)
Aspergillus flavus and *parasiticus*, conidiphores of, electron microscopy, 287, (287)
Athow, K. L., 790
Atilano, R. A., 517
Austin, R. K., 487
Autio, R., 265
Averre, C. W., 65
Ayers, J. E., 801
Azalea, disease loss assessment of, in North Carolina, 125

Babiker, A. G. T., 741
Bacillus penitrens, root-knot nematode parasitized by, 52
Backman, P. A., 1032
Bacteria
 preservation of, silica gel method, 327
 seedborne pathogens, detection, 885
Bactericides, for fire blight control, techniques, 1162
Bailey, T. B., 693
Baker, K. K., 804
Baker, R., 908
Bald, J. G., 399
Banana
 bunchy top disease of, pichloram for eradication, 906, (906, 907)
 postharvest diseases, control, 746
Banihashemi, Z., 26, 373
Banttari, E. E., 598
Barash, I., 733
Barberry, eradication of, stem rust effect in USA, 177
Bar-Joseph, M., 820
Barker, K. R., 125, 1176
Barksdale, T. H., 239
Barley
 Drechslera teres on, pathogenicity in Australia, 655
 leaf rust of, virulent types and gene sources, 1009, 1012
 Pyrenophora leaf stripe of, seed treatment for, 1122
 seed treatment for root disease control, 135
Barley yellow dwarf virus
 ELISA for diagnosis, 812
 fescue as host, aphid vectors, 318
 grass reservoir in Indiana, 1041
 identification of, comparison of methods, 381
Barnes, G. L., 922
Barnett, O. W., 142
Bartz, J. A., 302
Basidiomycetes, on bluegrass, patterned midsummer wilt from, 419
Bassi, A., Jr., 1194
Batson, W. E., 1153
Baxter, L. W., Jr., 1023
Beagle, J. E., 371
Bean pod mottle virus, on soybean, *Phomopsis* seed infection related to, 826
Bean yellow mosaic virus, on *Gibasis geniculata*, description, 955, (955-957)
Beaver, R. G., 906
Bedker, P. J., 1067
Beech, scale and *Nectria* canker, in West Virginia, 851
Beet curly top virus, leafhopper vector, ELISA for identification, 940
Begonia
 powdery mildew of
 new systemic fungicides for, 718
 temperature effect, 776
Belonolaimus longicaudatus, on sunflower, control, 297
Beniowskia sphaeroidea, on bristleglass in Georgia, 1197, (1197)
Benner, H. I., 693
Ben-Shalom, J., 820
Benson, D. M., 125, 1176
Bergstrom, G. C., 683
Betzold, J. A., 72
Beute, M. K., 223, 568
Binning, L. K., 1187
Biological control
 Bacillus penitrens on *Meloidogyne* sp., on grape, 52
 Colletotrichum malvarum for prickly sida, 323
 Endothia parasitica, hypovirulent isolates, 769
 Fusarium wilt of tomato, cross-protection, 908
 Phytophthora root rot of papaya, 446, (447)
 Talaromyces flavus for *Verticillium* on eggplant in field, 1166
 Trichoderma spp. against *Sclerotium rolfsii* on grass, 1125
 Trichoderma harzianum for *Rhizoctonia solani* on bean, 788
 weeds, guidelines for introducing organisms, 1205
Bipolaris
 setariae, on areca palm, in Florida, 697
 sorokiniana, on cereals in California, 31
Birchfield, W., 707
Bird, L. S., 172

- Blanchette, B. L., 904
 Blanchette, R. A., 394, 495, 934, 1067
 Blanco, M. H., 1159
Blastophaga psenes, fig pollinator, *Fusarium moniliforme* contamination of, 566
 Blueberry
 Phytophthora root rot of, in Arkansas, 604
 ringspot viruses and nematodes on, in Oregon, 710, (711)
 stunt disease in Arkansas, investigation, 244, (244, 245)
 Bluegrass
 Helminthosporium leaf spot of, mowing effect on spore dispersal, 721
 midsummer wilt of, basidiomycetes association, 419, (420)
 Bock, K. R., 266
 Bockelman, D. L., 216
 Boettger, M. A., 320
 Borecki, Z., 1027
Botryodiplodia
hypoderma, growth and sporulation on media, 481
theobromae, on rose, control, 491
Botryosphaeria spp., on peach, gummosis in Georgia from, 1120
dothidea
 on fruits, review, 1202
 on peach, in Southeast USA, 158, (159)
Botrytis cinerea
 on horticultural crops, fungicides for, 404
 on pear and strawberry, postharvest disease and fruit rot, 357, (359, 361)
 on poinsettia, temperature effect, 776
 on rose, control, 491
 Boutwell, J. L., 221
 Bowden, R. L., 737, 744
 Bowen, K. L., 137
 Bowman, T., 815
 Bradfute, O. E., 167
 Brakke, M. R., 958
 Braselton, W. E., Jr., 1133
 Brennan, E., 587
 Bricker, J. L., 399
 Britton, K. O., 1120
 Brlansky, R. H., 590, 916
 Broad bean wilt virus, on begonia, in Minnesota, 72
 Brown, E. A., 1197
 Brown, M. F., 282
 Brownell, K. H., 513
 Bruck, R. I., 44
 Bruehl, G. W., 355, 845, 1056, 1090
 Brunetta, D., 1183
 Bryant, G. R., 693, 812
 Buehring, N., 18
 Bugbee, W. M., 871
 Bunchy top virus, on banana, picloram for eradication, 906, (906, 907)
 Burbage, D., 39
 Burlando, T., 114
 Burleigh, J. R., 680
 Burr, T. J., 1073
 Burrows, P. M., 142
Bursaphelenchus xylophilus
 on conifers in Minnesota, Iowa, and Wisconsin, importance, 934, (936)
 electron microscopy of, 285, (285)
 Buzzell, R. I., 1144, 1146
 Cactus, Easter-, *Drechslera cactivora* on, stem symptoms, 602, (602)
 Caddel, J. L., 922
Cajanus cajan
 Fusarium wilt of, resistance to, 306
 Phytophthora blight of, resistance to, 22, (22)
Calathea spp., Alternaria leaf spot of, etiology, 953, (954)
 Caldwell, R. L., 193
 Calvert, O. H., 760, 866
Camellia reticulata, *Glomerella cingulata* on, cultivars susceptible to, 1023
 Campbell, C. L., 65, 568
 Campbell, R. N., 657
 Campos, E., 543
Canavalia kauensis, Septoria leaf spot on, 263, (264)
 Cantaloupe (see also Muskmelon)
 downy mildew of, resistance to, 500
 Phytophthora of, seedling resistance, 373
 postharvest wastage of, in Australia, 549
 Caprifigs, molds of, fungicides for, 566
Capsicum spp., tobacco mosaic virus on, resistance to, 1062, (1063)
Carica papaya (see also Papaya)
 Phytophthora palmivora on, chlorothalonil for, 37
 Rhizoctonia pathogenic to, in Hawaii, 1136
 Carlson, R. R., 76
 Carroll, R. B., 70, 1140
 Carroll, T. W., 916
 Carrot, root-knot of, yield relation to inoculum density, 1064, (1065)
 Casper, D. H., 205, 208
 Cassava
 bacterial blight of, resistance to, 316
 mosaic disease of, heat therapy for, 475
 Cassava mosaic virus, cassava yield affected by, 661
Cassia obtusifolia, Alternaria seedling blight of, 426, (427)
 Cauliflower mosaic virus, on collards, identification, 253, (254)
Centaurea cyanus, cucumber mosaic virus on, in China, 337, (338)
Cephalosporium gramineum
 on soybean, resistance to, 271, (272)
 on winter wheat, disease management, 229
Ceratocystis fagacearum
 on live oak, relation to decline and carbohydrates, 120
 on oak, epidemiology, 137
ulmi
 conidia of, electron microscopy, 285, (285)
 on elm
 annual ring isolation in California, 1016
 benzimidazole compounds for control, injection site effect, 495, (496)
 wagneri, on pines, in national forest, Oregon, 240
Cercospora arachidicola, on peanut, control in Florida, 574
Cercosporidium personatum, on peanut, control of in Florida, 574
 Cereal, root and foot rot, in California, 31
Chamaecyparis lawsoniana, needle blight of, in Hawaii, 867, (868)
 Charchar, J. M., 1064
 Charudattan, R., 861
 Chase, A. R., 595, 602, 673, 697, 739, 891, 953
 Chastagner, G. A., 112
 Chen, C. C., 15
 Chen, S.-F., 961
 Chen, T.-M., 961
 Cherry, X-disease of, seasonal transmission by leafhopper, 28
 Chestnut, blight of, hypovirulent isolates, 769, (770)
 Chettanachit, D., 703
 Chickpea
 Fusarium wilt of
 races, 809
 symptomless carrier, 250
 Chicory (see *Cichorium intybus*)
 Chiu, R. J., 15
 Christen, A. A., 416
Chrysalidocarpus lutescens, dematiaceous leaf spots of, in Florida, 697, (698)
Cicer arietinum (see Chickpea)
Cichorium intybus, root rot of, 262, (262)
 Cigna, J. A., 320
Circulifer tenellus
 beet curly top virus vector, ELISA for identification, 940
 curly top virus vector, 650
 spiroplasma vector, 669
 Citrus
 bacterium of, leafhopper vector for, 590, (591)
 Phytophthora root and foot rot of, systemic fungicides for, 218
 tree decline in, humus effect on, 311
 Civerolo, E. L., 39, 231
 Claflin, L. E., 216
 Clarke, R. G., 949
 Clinic (see Plant disease clinics)
 Clostridium, on potato tubers, *Erwinia* relation, 543
 Cobb, F. W., Jr., 835
Cochliobolus sativus, on barley, systemic seed treatment for, 135
 Coconut
 cadang-cadang disease of, in Philippines, 547
 root degeneration in, evaluation, 667, (667)
 yellows diseases of, tetracycline for, 539
 Coconut and oil palm, *Phytomonas staheli* on, in Colombia, 675, (676)
 Coffee, rust of, first report in Guatemala, 855
 Coffelt, T. A., 385
 Cole, H., Jr., 419, 721
Colladonus montanus, cherry X-disease vector, seasonal transmission, 28
Colletotrichum spp., on tomato fruit, pathogenicity, 1153
fragariae, on strawberry, resistance to, screening technique, 559
gloeosporioides, survival in water, 469
graminicola, on sorghum, resistance to, 773
lindemuthianum, on bean, temperature effect, 781
malvarum, prickly sida controlled by, potential, 323
trifolii
 on alfalfa
 new Oklahoma race, 922
 race 2 occurrence, 48
 races 1 and 2, legume hosts of, 653
truncatum, on soybean, yield loss from, 1032
 Computer conferencing, role, 193
 Comstock, J. C., 1193
Coniothyrium fuckelii, on rose, control, 491
 Converse, R. H., 710, 949
 Conway, W. S., 402
 Cook, A. A., 388
 Cook, R. J., 1056
 Cooper, G. R., 665
 Corn
 aflatoxin epidemic in Alabama, 221
 bacterial top and stalk rot of, in Brazil, 519
 chocolate spot of, in Minnesota, 744
 mycotoxin and vomitoxin from, occurrence in infected grain, 1133
 sorghum downy mildew on, symptoms, 1006, (1007)
 southern rust of, development, 477
 Stewart's wilt of, prediction in crosses of, 1159
 viruses of, teosintes compared to, 61
Corynebacterium michiganense, on wheat, 76, (77)
Corynespora cassiicola, on *Aeschynanthus pulcher*, symptom, 739, (739)
 Costa, C. L., 742
 Cotton
 boll weevil, rot fungi in alimentary canal of, 1049

- crown gall bacteria on roots of, in Israel, 1200, (1200)
- Fusarium wilt of, resistance to, 837
- genetic improvement of, multi-adversity resistance system for, 172
- root-knot nematode of, aerial photography for study, 105, (106, 107)
- seedling disease and yield of, fungicide seed treatment effect, 832
- seedling disease complex, *Pythium* spp. relation, in California, 151
- Coulson, J. R., 1205
- Cowling, W. A., 291
- Cowpea, *Xanthomonas campestris* on, detection, 20
- Cowpea mild mottle virus on soybean in Ivory Coast, 336, (336)
- whitefly transmission of, 365
- Cowpea severe mosaic virus, on legumes in Brazil, 67, (68)
- Cox, R. S., 870
- Coyier, D. L., 842
- Crawford, M. A., 1032
- Cricanemella xenoplax*, on woody ornamentals, susceptibility, 1176, (1178)
- Cronartium ribicola*, on white pine, pathological pruning for, 1138
- Crotalaria spectabilis*, yellow mosaic disease of, in Nigeria, 74, (75)
- Crowe, F., 155
- Cryptococcus fagisuga, on beech, in West Virginia, 851
- Csinos, A. S., 1014
- Cucumber gummy stem blight of, insect and mildew role in epidemiology, 683, (685)
- Phytophthora* on, seedling resistance, 373
- root-knot of, in Libya, survey, 819, (819)
- Cucumber mosaic virus on cornflower, in China, 337, (338)
- on winged bean, properties, in Florida, 1071, (1072)
- Cucuzza, J. D., 794
- Cullen, R. E., 861
- Cuminum cyminum*, *Fusarium equiseti* on, new cause in Israel, 498, (499)
- Cupertino, F. P., 742
- Curl, E. A., 624
- Curly top virus, horseradish brittle root relation, 650, (651)
- Cylindrocladium* spp., on alfalfa in Hawaii, 947
- clavatum*, on pea, new host for, evaluation, 951, (952)
- crotalariae*, on peanuts, inoculum distribution and sampling, 568
- pteridis*, in leatherleaf fern, postharvest decay, 1029
- Cyphomandra betacea*, *Pseudomonas solanacearum* on, susceptibility, 1025
- Cytospora leucostoma*, on French prune tree, relation to nematode and bacterial canker, 114
- Czynczyk, A., 1027
- Dabaj, K. H., 819
- Dainello, D.J., 1078
- Dale, J. L., 244, 259
- Damsteegt, V. D., 61
- Dange, S. R. S., 807
- Danneberger, T. K., 914
- D'Arcy, C. J., 99
- Darrah, L. L., 1159
- Dasheen mosaic virus, on dieffenbachia, resistance to, 891
- Data processing and storage, small grain collection, by USDA, 435
- Davis, R. M., 218
- Dean, J. L., 1060
- Delp, C. J., 535
- Demski, J. W., 253
- Detweiler, R., 804
- DeVay, J. E., 151
- de Wildt, P. P. Q., 1029
- Dickson, M. H., 320
- Didymella applanata*, on red raspberry, factors affecting, 920
- Dieffenbachia, dasheen mosaic virus on, resistance, 891, (892)
- Dieffenbachia maculata*, *Fusarium solani* on, stem and leaf symptoms, 595, (595-597)
- Dilbeck, R., 784
- Dill, T. R., 1014
- Diplodia gossypina*, on pine, in nursery, 258
- natalensis*, on mango, postharvest disease, 357, (359)
- Dirks, V. A., 299
- Disease detection, infrared, for potato diseases, videotaping, 665, (666)
- Disease testing, National Institute of Agricultural Botany, England, 875, (878)
- Disthaporn, S., 703
- Donndelinger, C. R., 669
- Doodson, J. K., 875
- Doupnik, B., Jr., 812
- Dowling, C. F., Jr., 345
- Dracaena, *Fusarium* leaf spot of, irrigation effect, 673
- Drechslera cactivora*, on cactus, stem symptoms, 602, (602)
- oryzae*, on wild rice, fungicides for, 1001
- poae, on bluegrass, mowing role in spore dispersal, 721
- sorokiniana*, on *Poa annua*, iprodione effect, 914
- teres* on barley pathogenicity in Australia, 655
- symptoms and occurrence in Australia, 423, (424)
- Dubin, H. J., 967
- Duffus, J. E., 650
- Dunn, M. T., 1166
- Dunn, R. A., 297
- Durand, D. P., 693
- Durbin, R. D., 71, 601
- Dybas, R. A., 691
- Eamchit, S., 556
- Easton, G. D., 452
- Editorial
- Browning, A. J., state of Society, 637
- Bruehl, G. W., publishing obligations, 355
- Calvert, O. H., terms, 760
- Delp, C. J., long-range plans, 535
- Ford, R. E., annual meeting program, 279
- Garrett, W. N., APS and change, 443
- Kosuge, T., student evaluation, 1100
- Lamey, H. A., APS Placement Service, 190
- Miller, R. W., youth program, 883
- Roane, C. W., textbooks and monographs, 976
- Slack, D. A., membership, 4
- Stephens, C. T., women in plant pathology, 95
- Edwards, H. H., 995
- Eggplant, *Verticillium* wilt of, biocontrol in field, 1166
- Eichhornia crassipes*, *Rhizoctonia* blight of, in Louisiana, 861, (861)
- Electron microscopy applications to plant protection, 282
- cucumber mosaic virus in cornflower, 337, (338)
- on winged bean, 1071, (1072)
- curly top virus, on horseradish, 650, (651)
- Phytomonas staheli*, in coconut, 675, (676)
- rice ragged stunt virus, 929, (929, 931)
- southern bean mosaic virus, in Brazil, 742, (743)
- wheat spindle streak mosaic virus, occurrence in Nebraska, 958, (959)
- El-Gholl, N. E., 595
- Ellis, M. A., 920
- Elliston, J. E., 769
- Elm, Dutch elm disease of, benzimidazole for control, injection site effect, 495, (496)
- Emmatty, D. A., 993
- Endothia parasitica*, on chestnut, hypovirulent isolates of, 769, (770)
- English, H., 114
- Epps, J. M., 18
- Erwinia* spp. on papaya, symptoms in Mariana Islands, 116, (117, 118)
- on sugar beet, *Beta* spp. susceptibility to, 664
- amylovora* on apple and pear, chemicals screened for, 1162, (1163)
- electron microscopy of, 288, (288)
- on pear, forecasting model for, 576
- carotovora* on potato, *Fusarium* and *Verticillium* interaction, 1053
- on stored potato tubers, clostridia relation, 543
- in tomatoes, temperature effects, 302
- chrysantheri* on ornamentals, inoculation methods, 461
- on *Philodendron*, nitrogen and potassium growth effect, 728
- stewartii*, on corn, disease prediction, 1159
- tracheiphila*, on muskmelon, inoculation method, 778
- Erysiphe cichoracearum* on begonia, night temperature effect, 776
- on cucurbits, insect and *Mycosphaerella* role in epidemiology, 683, (685)
- on *Helianthus* spp., reaction, 572
- graminis*, on wheat, triadimefon for, 139
- Esbenshade, P. R., 911
- Escaffi, O., 893
- Euphorbia lathyris*, soilborne pathogens of, 236
- Evans-Ruhl, G., 80
- Everett, P. H., 456
- Exacum affine*, stem rot and wilt of, fungicides for, 161
- Exserohilum rostratum* on areca palm in Florida, 697
- irrigation effect, 673
- turcicum*, on corn, *Ht* resistance gene, in Ohio, 397
- Fagan, S. G., 1023
- Fan, F., 231
- Fargette, D., 1041
- Fauquet, C., 336
- Faw, W. F., 221
- Feliciano, A., 515
- Feliciano, C., 902
- Ferji, Z., 1191
- Ferreira, A. S., 773
- Ferreira, S. A., 1193
- Festuca arundinacea*, head-scab of, new U.S. disease, 866
- Filip, G. M., 240
- Fir, Douglas-, rhabdocone needle cast of, chemical control, 999
- Fletcher, D. S., 900
- Fletcher, G., 704
- Focus, 8, 98, 192, 280, 356, 445, 536, 638, 762, 884, 987, 1113
- Fomes annosus*, on fir, in national forest, Oregon, 240

- Forcipata loca*, electron microscopy of, 287, (287)
- Ford, R. E., 279
- Forecasting, disease, pear fire blight, model, 576
- Forer, L. B., 583, 735
- Forgey, W. M., 1159
- Fortnum, B. A., 1014
- Foudin, A. S., 866
- Fowler, M. C., 265
- Fraedrich, B. R., 938
- Frank, J. A., 1180
- Frank, Z. R., 128
- Frate, C. A., 566
- Frederiksen, R. A., 863, 1006
- Freeman, T. E., 861
- French, D. W., 495, 1067
- French, E. R., 458
- French, R. C., 416
- French, W. J., 515
- Fulton, J. P., 847
- Fumigation, soil, for tomato corky root, 657
- Fungicides (general) (see also Fungicides, specific)
- bacterial disease of bentgrass, antibiotic for, 804
 - blue mold of apple, postharvest control, 829
 - for Brooks fruit spot of apple, 564
 - brown spot of wild rice controlled by, 1001
 - cantaloupe postharvest disease control, in Australia, 549
 - for caprifig molds, 566
 - citrus greasy spot control, single-spray treatment, 687
 - for downy mildew of grape, 839
 - foliar-, effect on soybean pathogens, 213
 - foliar-applied, for soybeans and peanuts, 1114
 - grape downy mildew affected by, 945
 - grape mildew controlled by, evaluation, 308
 - lemon sour rot controlled by, 733
 - for mango postharvest diseases, 1185
 - Monilinia fructicola* resistant strains to, effects, 484
 - peach brown rot control, in orchards, 1101, (1102)
 - for Phomopsis cane and leaf spot of grape, 794
 - recent advances in vegetable disease control, 966
 - rhabdocline needle cast of Douglas-fir controlled by, 999
 - rose mildew control, volatilization, 842
 - Sclerotium rolfsii* control in golf greens, 108, 1125, (1126)
 - seed treatments
 - barley leaf stripe, 1122
 - cereals, 526
 - for cotton seedling disease, 832
 - peas, field and greenhouse, 798
 - spur blight on raspberry, spray widths, 920
 - stem rot and wilt of *Exacum affine*, control, 161
 - strawbreaker foot rot of wheat controlled by, 1056
 - systemic
 - for barley seed treatment, 135
 - for begonia powdery mildew, 718
 - for downy mildew, 1157
- Fungicides (specific) (see also Fungicides, general)
- anilazine, for *Acremonium* leaf spot of *Syngonium*, 421
 - benomyl
 - for *Botrytis* on raspberry and strawberry, 404
 - Monilinia fructicola* sensitivity to, on media and fruit, 1155
 - for soybean leaf, pod, and seed fungi, 918
 - bitertanol, apple disease controlled by, 580
 - bitertanol and fenarimol, for pear scab, 585
 - captan, *Botrytis cinerea* resistance to, strains, 404
 - chlorine, pear decay control with surfactants, 725
 - chlorothalonil, for *Phytophthora palmivora* on papaya, 37
 - ethazole and PCNB, *Pythium aphanidermatum* growth affected by, 26
 - fenamiphos, for nematodes on vegetables, sprinkler irrigation application, 489
 - iprodione
 - for Drechslera leaf spot on *Poa annua*, 914, (915)
 - Fusarium nivale* tolerant to, in field, 112
 - metalaxyl
 - Peronospora hyoscyami* resistance to, 44
 - Phytophthora megasperma* isolates tolerant to, 645
 - for Phytophthora root and stalk rot of soybean, 1144
 - for Phytophthora root rot of citrus, 218
 - for sunflower downy mildew, 132, (133)
 - tobacco blue mold controlled by, in seedbeds, 1014, (1015)
 - metalaxyl and RE26745, on potato, late blight control, translocation, 989, (990)
 - metham sodium, for peanut diseases, sprinkler application, 128
 - PCNB-ferbam, dip for lily bulbs, 399
 - phosethyl aluminum, for Phytophthora root rot of citrus, 218
 - triadimefon, for wheat powdery mildew, 139
- Fungicide and nematocide update, pome fruit fungicide report, 1981 overview, 1089
- Fusarium* spp.
- on potato, *Erwinia* and *Verticillium* interaction, 1053
 - on rice, in Spain, 332
 - equiseti*, on cummin spice, in Israel, 498, (499)
 - heterosporum*, on fescue, new head-scab in U.S., 866
 - moniliforme*
 - on caprifigs, 566
 - on dracaena, irrigation effect, 673
 - on loblolly pine, canker incidence in seed orchards, 1171
 - on southern pine, fertilizer effect, 938
 - moniliforme subglutinans*, on pine, in nurseries, 258
 - nivale*
 - on golf greens, iprodione tolerance in, 112
 - on wheat, resistance to, in Washington, 1090
 - oxysporum*
 - on chickpea
 - races of, 809
 - symptomless carrier, 250
 - on cotton, resistance to, 837
 - on lily bulb, preplanting dips for, 399
 - on onion, yield on organic soil, 1003
 - on soybean, resistance to, 1140
 - on tomato
 - cross-protection for control, factors, 908
 - race 3 in Queensland, 165
 - roseum, culmorum, and graminearum*, on cereals in California, 31
 - solani*
 - on *Dieffenbachia*, symptoms, 595, (595-597)
 - on pea, seed treatment for, 798
 - on sweet potato, stem canker from, 65, (66)
 - udum*, on pigeonpea, resistance to, 306
- Gadoury, D. M., 464
- Gaeumannomyces graminis*, on soybean, in Indiana, 822, (823-825)
- Galindo, J. J., 390
- Gallian, J. J., 842
- Gambrell, C. E., Jr., 225
- Garber, R. H., 151
- Garcia-Baudin, C., 132
- Gardner, D. E., 263
- Gardner, R. G., 34
- Garrett, W. N., 443
- George, B. F., 993
- Geotrichum candidum*, on lemon, fungicides for, 733
- Geranium, *Pseudomonas* and *Xanthomonas* spp. on, susceptibility of, 59
- Ghabrial, S. A., 826, 1037
- Gibasis geniculata*, bean yellow mosaic virus on, description and symptoms, 955, (955-957)
- Gibberella zeae*, on sweet corn, mycotoxin and vomitoxin results from, 1133
- Gibeault, V. A., 265
- Gibson, P. B., 142
- Gilchrist, D. G., 291, 513
- Gillespie, F. L., 506
- Gilpatrick, J. D., 1162
- Gingery, R. E., 167
- Gitaitis, R. D., 20, 210
- Givord, L., 1081
- Gleditsia triacanthos*
 - canker of, in Kansas, 155, (157)
 - Nectria* canker of, in Minnesota, 1067, (1068, 1069)
- Gliocladium deliquescens*, conioophore of, electron microscopy, 285, (285)
- Glomerella* spp., on tomato fruit, pathogenicity, 1153
- cingulata*
 - on apple, factors affecting, 379
 - on camellia, cultivars susceptible to, 1023
- Glomus mosseae*, arbuscule of, electron microscopy, 288, (288)
- Gocio, M. J., 244
- Goheen, D. J., 240
- Goode, M. J., 552
- Gooding, G. V., Jr., 44
- Gorbet, D. W., 574
- Gordon, D. T., 61, 167
- Grafton, K. F., 318
- Graham, A. E., 345
- Grape
 - downy mildew of, fungicides for, 839
 - Phomopsis cane and leaf spot of, chemical treatments for, 794
 - powdery mildew of, perennation, 678, (678)
- Grapefruit
 - greasy spot of, fungicides for, 687
 - impietratura and psorosis-A diseases of, systemic spread, 820
- Grapevine fanleaf virus, ELISA detection in containers, 704
- Grasso, S., 960
- Grattidge, R., 165
- Grau, C. R., 472, 506
- Gray, F. A., 221, 1080
- Gray, L. E., 213
- Greber, R. S., 900
- Gregory, L. V., 801
- Gremmeniella abietina*, perfect state, letter, 444
- Grogan, R. G., 108, 449, 1125
- Groth, J. V., 904
- Growers page
 - Botryosphaeria dothidea*, on fruits, 1202
 - chemigation and IR-4 workshop, 538
 - glasshouse ornamental disease management, 171
 - greenhouse crop production technology, 525
 - ornamental and landscape plants, 439
 - ornamental plant pathogens, 754
 - peach disease management, 7
 - polyethylene mulch and *Phytophthora* blight of pepper, 281
 - tomato bacteria spot, control, 870
 - turfgrass blight control, 265

- Guava, *Phytophthora* fruit rot of, 854
 Gubler, W. D., 449
 Gulya, T. J., 598
 Gurgis, R. Y., 48
- Hadisoegands, W. W., 145
 Hafidi, B., 1191
 Hagedorn, D. J., 328, 1187
 Hall, D. H., 657, 815
 Hamm, P. B., 645
 Hanlin, R. T., 1197
 Hansen, E. M., 645
 Harder, R. W., 229
 Harkov, R., 587
 Hart, L. P., 1133
 Hartwig, E. E., 18
 Hatta, T., 337
 Hau, F. C., 223, 568
 Haware, M. P., 250, 809
 Haygood, R. A., 461, 728
 Haynes, C., 851
 Hecker, R. J., 408
 Helkie, C., 39
 Helton, A. W., 784
Hemileia vastatrix, on coffee, first report in Guatemala, 855
 Hendrix, F. F., 1120
 Henzell, R. G., 900
 Hepperly, P. R., 256, 902
 Herbarium specimens, color preservation with calcium chloride, 1059
 Herbicides
 bean root and hypocotyl rot suppressed by, 1187
 picloram, for bunchy top disease of banana, 906
 Herr, L. J., 246, 509, 700
 Hershmann, D. E., 1195
Heterobasidion annosum, on pines, air pollution effect on virulence, 835
Heterodera glycines
 on snap beans, first occurrence in production, 520, (521)
 on soybean
 cultivar and cropping effect, 18
 reproduction, 251
 resistance to, 933
 Heyne, E. G., 1183
 Hibi, T., 365
 Hill, J. H., 693
 Hite, R. E., 397
 Hochberg, R., 105
 Hodges, C. S., 867
 Hoffmann, J. A., 979
 Hogaboam, G. J., 408
 Hollings, M., 1106
 Honda, Y., 365
 Hood, E. L., 1041
 Horner, C. E., 645, 1157
 Horseradish (see also *Armoracia rusticana*)
 Verticillium wilt of, root deterioration from, 410
 Howard, C. M., 261, 856
 Huang, C. S., 1064
 Huber, D. M., 822
 Humphrey, W. A., 925
Humulus lupulus, downy mildew of, systemic fungicides for, 1157
 Hunger, R. M., 645, 1157
 Hunst, P. L., 955
 Hunter, J. E., 320
 Hussey, R. S., 9
- Igwegbe, E. C. K., 74
 Iltis, H. H., 61
Impatiens balsamina, turnip mosaic virus on, destructive disease, 1076, (1077)
Inonotus obliquus, on birch, image analyzer technique, 394
 Inoue, H., 57, 703
 Insecticides, systemic-, on potato, effect of *Verticillium* and *Rhizoctonia* infection, 1180
 Instructions to authors, 6
Ipomoea batatas (see sweet potato)
 Iwaki, M., 365
- Jacobson, B. J., 520
 Jaffee, B. A., 942
 James, R. L., 835
 Japanese holly, disease loss assessment in North Carolina, 125
 Jaworski, C. A., 210
 Jayasankar, N. P., 667
 Jaynes, R. A., 769
 Jiménez-Díaz, R. M., 132, 332
 Johnson, A. W., 489
 Johnson, M. C., 295
 Johnson, P. W., 299
 Johnston, R. H., 526, 1122
 Johnston, S. A., 281, 538, 1166
 Jones, R. K., 125, 1078
 Joseph, T., 667
 Judy, W. H., 256
 Juniper, *Kabatina juniperi* on, susceptibility in New Jersey, 1189, (1190)
- Kabatina juniperi*, on juniper, in New Jersey, 1189, (1190)
 Kaiser, W. J., 475
 Kannaiyan, J., 22, 306
 Kantzes, J. G., 371
 Kappelman, A. J., Jr., 837
 Kardin, M. K., 737
 Keeler, R., 822
 Keeling, B. L., 334
 Kelley, W. D., 1171
 Kelman, A., 543
 Kerr, E. D., 862
 Khalil, E. M., 368
 Khan, M. A., 253
 Khan, M. W., 819
 Khan, T. N., 423, 655
 Khew, K. L., 897
 King, F. D., 142
 King, S. B., 477
 Kingsland, G. C., 139
 Kirkpatrick, T. L., 323, 691
 Kitajima, E. W., 742
 Kittle, D. R., 213
 Klingman, D. L., 1205
 Knavel, D. E., 683
 Knight, W. E., 1021
 Knoke, J. K., 167
 Ko, W. H., 446, 854
 Koshy, P. K., 811
 Kosuge, T., 1100
 Kraft, J. M., 798
 Kress, L. W., 1149
 Krikun, J., 128
 Kronland, W. C., 262, 857
 Krueger, H. R., 920
 Krupa, S. V., 429
 Krupinsky, J. M., 481
 Kuć, J., 683
 Kueh, T. K., 897
 Kunitomo, R. K., 854
 Kuwite, C. A., 1071
 Kyriakopoulou, P. E., 1059
- Laberry, R., 316
Lachnellula willkommii, on European larch, new North American host record, 339, (339)
 Lackner, A. L., 211
 Lacy, G. H., 1129
 Lacy, M. L., 1003, 1198
 Lamey, H. A., 190
 Langenberg, W. G., 862, 958
 Lanter, J. M., 552
Larix decidua, canker of, new North American host record, 339, (339)
 La Rosa, R., 960
 Latin, R. X., 229
- Latorre, B. A., 585, 893
 Leach, S. S., 1180
 Leath, S., 70, 1140
 Leben, C., 327
 Leben, S., 1174
 Lee, K., 566
 Lee, R. F., 590
 Lee, T. C., 308, 839, 945
 Leeper, C. D., 520
 Lehrer, G. F., 1138
 Lemon, sour rot of, fungicides for control, 733
 Lengkeek, V., 155
 Lenz, J. V., 399
 Letters
 awards, 978
 epidemic, 761
 food and society, 191
 Gremmeniella and climate, 444
 laurels, 761
 publication costs, 978
 seedborne viruses, 977
 women and science, 444
 Lettuce, drop nursery of, establishment, 415
 Lettuce mosaic virus, detection in seed, radioimmunosorbent assay for, 1037
 Lewis, J. A., 832
 Lewis, R., Jr., 120
 Lewis, S. A., 225
 Li, D., 1037
 Lidster, P. D., 1119
 Lin, M. T., 67, 742
 Lipps, P. E., 167, 397, 509
 Lister, R. M., 790, 1041
 Litton, C. C., 295
 Livingston, W. H., 260
 Lockhart, B. E. L., 72, 1191
Lolium multiflorum
 blast of
 315 entries evaluated, 696
 pathogenicity and variability, 592
 Long, D. L., 205, 208
 Lopes, C. A., 519, 951
 Lopez-Herrera, C. J., 132
Lophodermella arcuata, on sugar pine, growth effect, 680
 Loughheed, E. C., 1119
 Louie, R., 167, 475
 Lownsbery, B. F., 114
 Lozano, J. C., 316
 Luisoni, E., 929
 Lumsden, R. D., 1019
 Luz, W. C., 135
- MacDonald, J. D., 925
 MacDonald, W. L., 851
 MacHardy, W. E., 464
 Machtmes, R., 845, 1056
 MacPherson, E. A., 404
Macrophomina phaseolina
 on *Eurphorbia lathyris*, 236
 sclerotia of, recovery in soil, 662
Macroposthonia sp., on Japanese holly, in North Carolina, 125
 xenoplax
 on French prune trees, bacterial and *Cytospora* canker relation, 114
 on peach, nematicides for, 225
 Magasi, L. P., 339
 Maher, E. A., 543
 Mai, W. F., 942
 Main, C. E., 44
 Maize (see Corn)
 Maize chlorotic mottle virus
 on corn and grasses, host range, 216
 on sorghum, crop rotation effect, 376
 Maize dwarf mosaic virus
 on sorghum, Venezuelan isolate, 849
 on sweet corn, yield effects, 801
 Maize white line mosaic virus, in Ohio, 167
 Mango, postharvest diseases of, fungicides for, 1185

- Manji, B. T., 325
 Mansoori, B., 373
 Mansour, A., 330
 Manzer, F. E., 665
 Marigold, nitrogen dioxide, sulfur dioxide, and ozone effect on growth, 122
 Marín, G., 585
 Marín-Sánchez, J. P., 332
 Marois, J. J., 1166
 Marks, C. F., 299
 Marlowe, A., 859
 Marousky, F. J., 1029
 Marshall, D. S., 788
 Martensen, A. N., 513
 Martin, C., 458, 1025
 Martinez-Lopez, G., 675
 Matejka, J. C., 415
 Matheron, D., 151
 Mathre, D. E., 526
 McCain, A. H., 161
 McCarter, S. M., 713
 McCoy, R. E., 539, 675
 McDaniel, M. C., 259
 McEwan, R. J., 522
 McGlohon, N. E., 7, 1202
 McGuire, J. M., 552, 1194
Medicago sativa (see Alfalfa)
 Melero-Vara, J. M., 132
Meloidogyne spp.
 Bacillus penetrans parasitic on, biocontrol, 52
 on cotton, resistance to, wilt relation, 837
 on Japanese holly, in North Carolina, 125
 resistance of hosts to, suitability basis, 145
 arenaria, on woody ornamentals, susceptibility, 1176, (1178)
 chitwoodi, on potato, host range, 1045
 chitwoodi and *M. hapla*, tomato resistant to, 406, (407)
 incognita
 on carrot, yield relation to inoculum density, 1064, (1065)
 on cotton, color infrared photography for study of, 105, (106, 107)
 on cucumber in Libya, survey, 819, (819)
 on sunflower, control, 297
 on tobacco, avermectins for control, 691
 on vegetables, fungicides in irrigation water, 489
 Melon, yellows of, molybdenum role, 449, (450)
 Mena, H. A., 849
 Merrill, W., 137
 Metz, S. G., 526, 1122
 Mew, T. W., 556
 Meyer, W. A., 341
Microdocium bolleyi, on wheat and barley in California, 31
Microsphaera diffusa, on soybean, in Delaware, 70
 Mielke, M. E., 851
 Mignucci, J. S., 256
 Mihail, J. D., 662
 Milbrath, G. M., 650, 949
 Milholland, R. D., 1034
 Miller, J. D., 1174
 Miller, R. E., 999
 Miller, R. W., 883
 Miller, W. A., 918
 Millikan, D. F., 1027
 Milne, R. G., 929
 Minton, E. B., 832
 Misra, S. R., 932
 Mitchell, J. E., 410
 Mizicko, J. R., 491
 Modawi, R. S., 1183
 Moller, W. J., 576
Monilinia fructicola
 benomyl sensitivity by, 1155
 on peach, control in orchards, 1101, (1102)
 resistant strains of, fungicide effect on growth and sporulation, 484
 on stone fruit and nectarines, postharvest disease and fruit rot, 357, (358, 361)
 laxa, *M. fructicola* distinguished from, 325
 Monsarrat, A., 336
 Moore, D. L., 790
 Moore, L. W., 439, 754
 Morgan, F. C., 491
 Morinaka, T., 703
 Morris, S. C., 549
 Morton, H. L., 999
 Moyer, J. W., 65, 911
 Mueller, J. P., 410
 Mughogho, L. K., 807
 Mumford, D. L., 940
 Murray, T., 845
 Muskmelon (see also Cantaloupe)
 gummy stem blight disease of, insect and mildew role in epidemiology, 683, (685)
 powdery mildew of, race changes, 130
 Mycoplasma, peach X-disease, antibiotic for control, 1129
 Mycoplasma-like organisms
 blueberry stunt in Arkansas, 244, (244, 245)
 transmission of, 99
 yellows diseases caused by, tetracycline for control, 539
 Mycorrhizae, VA, nematode affected by, 9, (11)
Mycosphaerella citri, on grapefruit, fungicides for, 687
melonis, on cucurbits, insect and mildew role in epidemiology, 683, (685)
pomi, on apple, fungicides for, 564
 Mycotoxins, *Gibberella zeae* on sweet corn, 1133
 Mycoviruses, review, 1106
 National Institute of Agricultural Botany, disease testing at, 875
 Natural, M. P., 863
 Nault, L. R., 61, 99
Nectria cinnabarina, on honey locust, in Minnesota, 1067, (1068, 1069)
galligena, on beech, in West Virginia, 851
haemaococca, on *Exacum affine*, fungicides for, 161
 Nelson, M. G., 37
 Nelson, P. V., 728
 Nematicides
 avermectin, for root-knot control in tobacco, 691
 for ring nematodes on peach trees, 225
 sunflower nematodes controlled by, 297
 systemic-, for apple orchard nematodes, 299
 Nematodes
 on blueberry, in Oregon, ringspot virus relation, 710
 on Japanese holly, in North Carolina, loss assessment, 125
 VA mycorrhizae effects on, 9, (11, 14)
 virus-transmitting, feeding behavior, 639, (640-644)
 Nene, Y. L., 250, 306, 809
Nephotettix spp., rice gall dwarf virus vector, transmission by, 57
nigropictus
 rice gall dwarf virus vector, 703
 rice tungro virus vector, hosts, 54
 virescens, rice tungro virus vector, other hosts, 54
 Nessim-Bistritsky, B., 105
 Nicholls, T. H., 934
 Nickelson, L. J., 737, 1007
 Nilakhe, S. S., 20
Nilaparvata lugens, vector for rice viruses, 15
 Nishijima, W. T., 854
 Nitrogen compounds
 nitrogen, bacterial leaf blight of *Philodendron* affected by, 728
 urea, pear scab affected by, 585
 Noe, J. P., 379
 Noel, G. R., 520
 Norelli, J. L., 1162
 Nuque, F. L., 63
 Nutter, F. W., Jr., 721
 Nydegger, U., 458, 1025
 Nyczepir, A. P., 1045
 Oak (see also *Quercus virginiana*)
 epidemiology, 137
 O'Bannon, J. H., 406, 1045
 Obenauf, G. L., 566
 O'Brien, R. G., 165
 Ogawa, J. M., 325, 566, 1155
Oidium begoniae, on begonia, systemic fungicides for, 718
 Okie, W. R., 34, 158
 Olsen, M. W., 857
 Oman, P. W., Sr., 949
 Omura, T., 57, 703
Oncometopia nigricans, on citrus, vector for bacterium, 590, (591)
 O'Neill, N. R., 1115
 Onion
 Fusarium and *Pyrenochaeta* on, yield on organic soil, 1003
 pink root of, first report in Sudan, 741
 white rot incidence, radiation effect on, 723
 Ooka, J. J., 947
 Orion, D., 105, 1200
 Ornamentals, woody, nematodes on, susceptibility, 1176, (1178)
 Osterli, P. P., 449
 Ou, S. H., 63
 Owen, M. G., 1023
Pachysandra terminalis, alfalfa mosaic virus on, 1195, (1196)
 Pacumbaba, E., 547
 Papavizas, G. C., 832, 1019, 1166
 Papaya (see also *Carica papaya*)
 Erwinia spp. on, bacterial diseases of, in Mariana Islands, 116, (117, 118)
 Phytophthora root rot of, biocontrol, 446, (447)
Paratylenchus neoamblycephalus, on French prune tree, relation to bacterial and *Cytospora* cankers, 114
 Parejarearn, A., 703
 Paulus, A. O., 399
 Pea
 Alternaria blight of, 328, (328, 329)
 Cylindrocladium root rot of, new host, evaluation, 951, (952)
 seed treatments for
 field and greenhouse, 798
 hydrogen peroxide effect, 784
 Peach
 Botryosphaeria gummosis in, in Georgia, 1120
 brown rot of, control in orchards, 1101, (1102)
 disease management, 7
 fungal gummosis of, distribution in Southeast USA, 158, (159)
 hot-water treatment for, changes, 487
 Monilinia fructicola on, benomyl sensitivity, 1155
 Phomopsis fruit decay, 1073
 ring nematodes of, nematicides for, 225
 wounds in, decay from, 895, (896)
 X-disease, antibiotic effect, yield response, 1129
 Peanut
 Cylindrocladium black rot of, inoculum distribution in field, 568
 leaf spots of, control in Florida, factors, 574
 pod rot and wilt of, metham sodium application for, 128
 Sclerotinia blight of, resistance to, 385
 Peanut stunt virus, in Arkansas, 1194

- Pear
 fire blight of, forecasting model for, 576
 postharvest decay of, chlorine and surfactants for control, 725
 scab of, fall fungicide treatments, 585
 wind injury of, 1169, (1169)
- Peñaloza, E., 893
- Penicillium expansum*, on apple, postharvest chemical control, 829
- Pennypacker, B. W., 419
- Peperomia obtusifolia*, *Verticillium* wilt of, new in Italy, 960, (960)
- Pepin, H. S., 404
- Pepper vein mottle virus, on *Physalis angulata*, in Ivory Coast, 1081
- Percich, J. A., 410, 747, 1001
- Peronosclerospora sorghi*
 on corn, symptoms, 1006, (1007)
 on sorghum, resistance to, 807
- Peronospora*
effusa, race 3 on spinach, resistance, 1078
hyoscyami
 metalaxyl resistance in, 44
 on tobacco, metalaxyl for, 1014, (1015)
- Perry, R., 650
- Perry, R. G., 1189
- Persley, D. M., 900
- Peters, B. B., 725
- Peterson, D. J., 995
- Peterson, J. L., 53, 1189
- Pfleger, F. L., 491
- Phaeotrichoconis crotalariae*, on areca palm, in Florida, 697
- Phakopsora pachyrhizi*, uredium of, electron microscopy, (288)
- Phaseolus* spp.
 soybean cyst nematode on, 520, (521)
 white mold on, resistance to, 320
vulgaris
 anthracnose of, temperature effect, 781
 root and hypocotyl rot of, herbicide suppression of, 1187
- Phatak, S. C., 310
- Phellinus*
pini, on pine, image analyzer technique, 394
weirii, on firs, in national forest, Oregon, 240
- Phillips, D. J., 487
- Phillips, N. J., 376
- Philodendron sellowii*, bacterial leaf blight of, nitrogen and potassium growth effect, 728
- Phipps, P. M., 163
- Phomopsis* sp., on soybean seed, bean pod mottle virus in relation, 826
- mali*, on apple and peach, fruit decay, 1073, (1074, 1075)
- vaccinii*, on blueberry, description and importance in North Carolina, 1034, (1034)
- viticola*, on grape, chemical treatments for, 794
- Phymatotrichum omnivorum*, on chicory, root rot from, 262
- Physalis angulata*
 pepper vein mottle virus on, in Ivory Coast, 1081
 potato virus A indexing host, 1051, (1052)
- Phytomonas staheli*, on coconut and oil palm, in Colombia, 675, (676)
- Phytophthora* spp., on azalea in North Carolina, loss from, 125
cinnamomi
 on blueberry, in Arkansas, 604
 on juniper, in California, 925, (927)
citricola, on guava, fruit rot of, 854
cryptogea, on chicory, root rot from, 262, (262)
drechsleri
 on cucurbit, seedling resistance, 373
 on pigeonpea, resistance to, 22, (22)
infestans
- on potato
 epidemic prediction in Washington, 452
 metalaxyl and RE26745 translocation in, 989, (990)
- megasperma*
 isolates tolerant to metalaxyl, 645
 on soybean
 four new races, 334
 in Maryland, 371
 metalaxyl for, 1144
 plant loss from, 1146
 races in Wisconsin, 472
- palmivora*
 on palm, bud rot from, 517
 on papaya
 biological control, 446, (447)
 chlorothalonil for, 37
 in soil, survival through snails, 897
- parasitica*, on citrus, systemic fungicides for, 218
- Pierce, L., 161
- Pigeonpea (see *Cajanus cajan*)
- Pilowsky, M., 46
- Pinckard, J. A., 311
- Pine
 air pollution toxicity to, in Indiana and Wisconsin, 199
 blister rust of, pathological pruning, 1138
 loblolly-, pitch canker incidence, 1171
 pitch canker of, fertilizer effect, 938
 tip dieback of, in nurseries, 258
- Pinus* spp., *Verticicladiella procera* on, pathogenicity, 211
lambertiana, *Lophodermella arcuata* on, growth effect, 680
- Pirone, T. P., 295, 812
- Plant disease clinics, history and survey, 80
- Plant inspection and certification, review, 345
- Plant introductions, explanation, 87
- Plasmopara*
helianthi, on sunflower, metalaxyl for, 132, (133)
- viticola*
 on grape
 fungicide evaluation, 839
 systemic fungicide for, 308
 sporangial production in, fungicide effect, 945
- Pleurotus ostreatus*, *Verticillium fungicola* on, symptoms, 859, (859, 860)
- Poehlman, J. M., 318
- Pollution, air-
 nitrogen dioxide, sulfur dioxide, and ozone, radish and marigold growth effects from, 122
 ozone
 poplar growth affected by, 587
 radish and marigold growth effects from, 122
 ozone and nitrogen dioxide, eastern forest tree spp. responding to, 1149
 ozone and sulfur dioxide, effect on pine in Indiana and Wisconsin, 199
 photochemical-, *Heterobasidion* on pines, virulence effect, 835
 plant health effect, 429
 sulfur dioxide, radish and marigold growth effects from, 122
- Polymyxa betae*, on sugar beet, in Nebraska, 862
- Pond, S. E., 339
- Poplar, ozone effect on growth of, 587
- Porter, D. M., 163, 385
- Porter, W. M., 435
- Postharvest diseases
 bananas, control, 746
 blue mold of apple, chemical control, 829
 Phomopsis fruit decay on peach and apple, 1073, (1074)
- Postharvest pathology
 cantaloupe melons, cause and control, 549
 fruit disease, 357, (358, 359, 361, 364)
- Potato
 diseases of, detection by infrared and videotaping, 665, (666)
Erwinia, *Fusarium*, and *Verticillium* on, interaction, 1053
Erwinia in tubers of, clostridia relation, 543
 late blight of, epidemic prediction in Washington, 452
 metalaxyl and RE26745 for late blight control, 989, (990)
 Rhizoctonia disease of, yield effect and control, 815
Verticillium and *Rhizoctonia* on, systemic insecticide effect on, 1180
- Potato virus A, on *Physalis angulata*, local lesion host for indexing, 1051, (1052)
- Potato virus S, detection and spread, 368
- Potato virus Y, in tobacco, severe outbreak in Chile, 893, (895)
- Powell, C. A., 583
- Powell, C. C., 171, 525, 700, 718, 731
- Pratt, G. C., 429
- Pratt, R. G., 1021
- Pratylenchus*
brachyurus, on sunflower, control, 297
penetrans, in apple orchards, systemic nematicides for, 299
vulvus, on woody ornamentals, susceptibility, 1176, (1178)
- Pree, D. J., 299
- Proctor, J. T. A., 1119, 1169
- Product and Equipment News, 752
- Prommin, M., 365
- Provvidenti, R., 1076
- Prunus salicina*, leaf scald disease of, in Brazil, 515
- Pseudocercospora herpotrichoides*
 on wheat, fungicides for, in Washington, 1056
 on winter wheat, secondary inoculum role, 845
- Pseudomonas*
gladioli, on lily bulb, preplanting dip for, 399
- solanacearum*
 on geranium, susceptibility, 59
 strains in Americas, 458
 on tree tomato, susceptibility to, 1025
- syringae*
 on corn, in Minnesota, 744
 on French prune trees, relation to nematode and *Cytospora*, 114
 on ragweed, new host, 71
 on sunflower
 apical chlorosis from, 598, (599)
 in Wisconsin, 601
 on tomato
 epiphyte populations and environment effect, 713
 inoculation screening technique, 993
 resistance to, 210
 tomato, resistance to, 46
- Pseudoperonospora humuli*, on hops, systemic fungicides for, 1157
- Puccinia*
asparagi, on asparagus, resistance to, 904
graminis, barberry eradication effect on, in USA, 177
graminis avenae, races in USA and Mexico, 208
graminis tritici, races in USA and Mexico, 205
- hordei*
 on barley, genes resistant to, 1012
 virulence types, in North America, Africa, and Middle East, 1009
- melanocephala*, on sugarcane, in Hawaii, 1193
- polysora*, on corn, development of, 477

- recondita*, on wheat, incidence in North Dakota 1979-81, 1174
- Puchala, Z., 1027
- Punja, Z. K., 108, 1125
- Purcell, A. H., 28
- Purcifull, D. E., 1071
- Putta, M., 703
- Pyrenochaeta*
- lycopersici*, on tomato, soil fumigation for, 657
- terrestris*
- on onion
- in Sudan, 741
- yield on organic soil, 1003
- Pyrenophora graminea*, on barley, seed treatment for, 1122
- Pyricularia grisea*
- on ryegrass
- 315 introductions evaluated, 696
- pathogenicity and variability, 592
- Pyrus communis* (see Pear)
- Pythium* spp.
- on bedding plants, damping-off by, in greenhouse, 731
- on cotton, seedling disease complex, 151
- on pea, seed treatments for, 798
- aphanidermatum*
- on cucurbit, growth inhibition by ethazole and PCNB, 26
- on *Euphorbia lathyris*, 236
- deliense*, on sugar beet, root rot from, 857, (858)
- myriotylum*, on peanut, metham sodium for, 128
- Quarantine, explanation of, 87
- Quercus virginiana* (see also Oak)
- decline of, carbohydrate relation, 120
- Quinn, J. A., 718
- Radish, nitrogen dioxide, sulfur dioxide, and ozone effect on, 122
- Radke, V. L., 506
- Radolpholus similis*, on coconut, mesocarp culture, 811
- Rahe, J. E., 723
- Rahimian, M. K., 26
- Rajaram, S., 967
- Ramsdell, D. C., 710
- Rand, R. E., 328
- Rao, A. L. N., 337
- Rao, G. M., 54
- Rao, K. N., 807
- Raspberry
- spur blight of, factors affecting, 920
- witches' broom disease of, in Oregon, description, 949, (950)
- Recilia dorsalis*, on rice, vector for rice gall dwarf virus, 703
- Reddy, L. J., 22
- Reed, G. L., 778
- Regulski, F. J., Jr., 53
- Reicosky, D. A., 826
- Reifschneider, F. J. B., 519, 951
- Reil, W. O., 576
- Reilly, C. C., 158
- Reinert, R. A., 122
- Reinhold, M., 1009, 1012
- Resistance
- asparagus to rust, 904
- garden crops to root-knot nematodes, 145
- Phaseolus* spp. to white mold, plant introductions, 320
- sorghum to anthracnose, 773
- soybean
- to brown stem rot, 271, (272)
- to *Fusarium oxysporum*, 1140
- tomato
- to bacterial speck, 46, 210
- to *Verticillium dahliae* races 1 and 2, 34
- Reuveni, R., 498
- Reviewer acknowledgment, 97
- Rhabdocline pseudoisugae*, on Douglas-fir, chemical control, 999
- Rhizoctonia* sp., on leatherleaf fern, post-harvest decay, 1029
- solani*
- on bedding plants, damping-off characterization, 700
- on *Euphorbia lathyris*, 236
- on potato, yield effect and control, 815
- on papaya, pathogenicity in Hawaii, 1136
- on potato
- systemic insecticide effect, 1180
- yield effect and control, 815
- on rice and sorghum, etiology, 1115, (1116)
- on snap bean
- isolate variation, in New York, 390
- Trichoderma* seed treatment for, 788
- on soybean, in Puerto Rico, 256
- on sugar beet, soil deposition effect, 408, (409)
- on waterhyacinth, in Louisiana, 861, (861)
- Rhizopus* sp.
- dieback gall disease of, epidemic in West Africa, 522, (522, 523)
- on nectarine, fruit rot, 357, (361)
- Rhizosphere, pathogen behavior and root disease, 624
- Rhododendron, disease loss assessment in North Carolina, 125
- Riccelli, M., 849
- Rice
- bacterial blight of, virulence in Thailand and Philippines, 556
- Rhizoctonia solani* on, etiology, 1115, (1116)
- virus diseases of, in Taiwan, 15, (16)
- Rice gall dwarf virus
- leafhopper transmission of, 57
- on rice, leafhopper vectors in Thailand, 703
- Rice grassy stunt virus, resistance to, inheritance, 63
- Rice ragged stunt virus, diagnosis by ELISA and electron microscopy, 929, (929, 931)
- Rice tungro virus, host range and vectors, 54
- Rich, J. R., 297
- Rickettsialike bacteria, on citrus, leafhopper vector for, 590
- Rickettsialike organisms, transmission of, 99
- Riesselman, J. H., 1122
- Rios, G. P., 67
- Rissler, J. F., 371, 776
- Ritchie, D. F., 484
- Roane, C. W., 976
- Robbins, K., 934
- Roberts, D. L., 804, 1003
- Rochow, W. F., 381
- Roelfs, A. P., 177, 205, 208
- Roggero, P., 929
- Rohde, W. A., 489
- Romaine, C. P., 859
- Roncadori, R. W., 9
- Rose
- cankers of, control, 491, (493)
- powdery mildew of
- fungicidal control, 842, (844)
- temperature effect, 776
- Rosenberger, D. A., 1073
- Rosenow, D. T., 849, 863
- Roth, D. A., 1080
- Rotylenchulus reniformis*, on sweet potato, host reaction, 707, (708)
- Rowan, S. J., 258
- Rowe, D. E., 48
- Rowe, R. C., 966, 989
- Roy, K. W., 822, 918, 1153
- Rumohra adiantiformis*, postharvest decay in, in Florida, 1029
- Ruppel, E. G., 408
- Rush, M. C., 1115
- Saliman, M., 572
- Sall, M. A., 678, 794
- Sammons, B., 776
- Samson, R. G., 958
- Sanchez de Leon, A., 855
- Sanden, G. E., 574
- Sanders, J. S., 122
- Sanders, P., 265
- Sanders, P. L., 419
- Santo, G. S., 406, 1045
- Sasser, J. N., 145, 691
- Sasser, M., 39
- Sava, R. J., 1016
- Scanning electron microscopy, bentgrass, bacterial disease of, 804, (806)
- Scaphytopius nitridus*, spiroplasma vector, 669
- Scardaci, S. C., 31
- Schaad, N. W., 885
- Schachnai, A., 733
- Schefflera, Alternaria leaf spot of, irrigation effect, 673
- Schein, R. D., 721
- Schick, F. J., 114
- Schieber, E., 855
- Schmitthener, A. F., 700
- Schneider, C. L., 408
- Schott, M. D., 993
- Schroeder, M. L., 1049
- Schroth, M. N., 116, 576
- Schweers, V. H., 657
- Scientific News, 91, 184, 275, 352, 440, 532, 632, 755, 880, 972, 1096, 1204
- Sclerotinia* spp., on soybean, relation to peanut intercropping, 163
- minor*
- on peanut
- resistance to, 375
- sclerotial germination factors, 223
- sclerotiorum*
- on *Phaseolus* spp., resistance to, 320
- on soybean, resistance to, 506, (507)
- trifoliorum*, on crimson clover, apothecial formation, 1021, (1021)
- Sclerotium*
- cepivorum*, on onion, seed radiation effect, 723
- rolfsii*
- on turf
- control in California, 108, (110)
- fungicide and *Trichoderma* for control, 1125, (1126)
- Scott, G. E., 477
- Sebesta, P., 680
- Sechler, D. T., 318
- Secor, G. A., 1053
- Seed certification, for bacterial plant pathogens, 885
- Seed treatment, cereals, status and usefulness, 526
- Sehgal, O. P., 318
- Seif, A. A., 661
- Septoria* spp.
- on *Canavalia kauensis*, leaf spot from, 263, (264)
- on wheat, incidence and distribution in California, 513
- glycines*, on soybean, temperature and leaf wetness effect, 995
- lycopersici*, on tomato, resistance to, 239
- Setaria geniculata*, *Beniowskia sphaeroidea* blight on in Georgia, 1197, (1197)
- Shabani, S., 1006
- Shalla, T. A., 368
- Shanks, J. B., 776
- Shanmuganathan, N., 704
- Sharma, D., 22
- Sharp, E. L., 1009, 1012
- Shaw, C. G., III, 852
- Shepherd, R. J., 1037
- Shigo, A. L., 763, 895

- Shokes, F. M., 574
 Shukla, V. D., 54
Sida spinosa, biological control of, 323
 Sinclair, J. B., 256
 Singh, K., 932
 Singh, P., 312
 Singh, R. P., 1051
 Singh, S. K., 54
 Sinha, O. K., 932
 Skelly, J. M., 1149
 Slabaugh, W. R., 746
 Slack, D. A., 4
 Slesman, J. P., 327
 Smiley, R. W., 265
 Smith, B. J., 559
 Smith, D. H., Jr., 435
 Smith, M. W., 210
 Smith, R. J., Jr., 323
 Smith, R. S., 256
 Smith, T., 223
 Smitley, D. R., 713
 Snow, J. P., 1049
 Sommer, N. F., 357
 Sonoda, R. M., 325, 1155
Sorghastrum nutans, *Ascochyta* leaf spot of, 502, (503, 504)
 Sorghum
 Acremonium wilt of, new U.S. disease, 863, (863, 864)
 anthracnose of, resistance to, 773
 downy mildew of, resistance to, 807
 resistance to fungal and virus diseases, 900
 seedborne fungi of, chemical control of, in Puerto Rico, 902
 sheath blight of, etiology, 1115, (1116)
 Sosamma, V. K., 811
 Sotomayor, A., 902
 Southern bean mosaic virus, in central Brazil, 742, (742, 743)
 Sowell, G., Jr., 130, 1062
 Soybean
 anthracnose of, yield loss from, 1032
 brown spot disease of, temperature and leaf wetness effect, 995
 brown stem rot of, resistance to, 271, (272)
 cowpea mild mottle virus on, transmission and properties, 365
 cyst nematode on
 continuous cropping and cultivar effects, 18
 resistance to, 933
 fungi on leaves, pods, and seeds, benomyl effect, 918
 Fusarium oxysporum on, resistance to, 1140
 Gaeumannomyces graminis on pods of, in Indiana, 822, (823-825)
 Phomopsis seed infection, bean pod mottle virus relation, 826
 Phytophthora root and stalk rot of, metalaxyl effect, 1144
 Phytophthora root rot
 loss response, 1146
 in Maryland, 371
 powdery mildew of, in Delaware, 70
 reproduction in Tennessee, 251
 Rhizoctonia web blight of, in Puerto Rico, 256
 Sclerotinia blight of, relation to intercropping with peanut, 163
 Sclerotinia sclerotiorum on, resistance to, 506, (507)
 soil fumigation and foliar fungicide effect on, 213
 Soybean mosaic virus
 detection by radioimmunoassay, 693
 ELISA for evaluation, 790
 Spalding, D. H., 1185
 Spaulding, S., 265
Sphaerotheca fuliginea, on muskmelon, race change, 130
macularis, on strawberry, cleistothecia in Florida, 261
pamosa
 on rose
 fungicidal control, 842, (844)
 night temperature effect, 776
 Spiers, J. M., 559
 Spinach, downy mildew of, race 3 occurrence in Texas, 1078
 Spiroplasma, in leafhoppers, cultivation, 669
 Spotts, R. A., 725
 Springer, J. K., 281, 538
 Spruce, black-, dwarf mistletoe of, in Newfoundland, 312, (314)
 Squash mosaic virus, in Morocco, 1191
 Stall, R. E., 388
 Standish, E. D., 925
 Stanghellini, M. E., 262, 857
 Starkey, D., 155
 Starkey, T. E., 379
 Statler, G. D., 1174
 St. Augustinegrass (see *Stenotaphrum secundatum*)
 Stebbins, T. C., 1133
Stemphylium botryosum, on alfalfa, light and moisture effect on, 291
 vesicarium, on asparagus, new disease, 1198
Stenotaphrum secundatum, decline of, in Arkansas, 259
 Stephens, C. L., 700
 Stephens, C. T., 95, 731
 Sterne, R. E., 604
 Stevenson, W. R., 778
Stigmata thujina, on Port-Orford-cedar, in Hawaii, 867, (868)
 Stirling, G. R., 52
 Stouffer, R. F., 583, 735
 Stough, M. C., 472
 Strawberry
 anthracnose or crown rot, screening for resistance to, 559
 powdery mildew of, in Florida, 261
 veinbanding and pallidosis viruses of, in Arkansas, 847, (848)
 Verticillium wilt outbreak in Florida, 856
Streptomyces avermitilis, avermectins from, for root-knot control in tobacco, 691
 Strider, D. L., 59, 461, 728
 Stromberg, E. L., 744
 Stuckey, R. E., 812, 826
 Styer, D. J., 71, 601
 Sugar beet
 Erwinia sp. on, resistance to, 664
 Polymyxa betae on, in Nebraska, 862
 Pythium root rot of, in Arizona, 857, (858)
 Rhizoctonia root rot of, soil deposition effect, 408, (409)
 storage rot of, cause and control, 871, (872)
 Sugarcane
 rust of, in Hawaii, 1193
 smut of, in Texas, 605, (605)
 Ustilago scitaminea on, detection with stain, 932, (932)
 Sugarcane mosaic virus
 on sorghum, resistant lines to, 900
 survival in sugarcane tissue, 1060
 Sunflower
 Alternaria helianthi on, in Ohio, 509, (510, 511)
 apical chlorosis of, *Pseudomonas* cause, 598, (599)
 downy mildew of, metalaxyl for, 132, (133)
 mildew of, spp. reaction, 572
 nematodes of, control in Florida, 297
 Suslow, K. G., 28
 Susuri, L., 328
 Sweet potato
 Fusarium stem canker of, 65, (66)
 reniform nematode on, host reaction, 707, (708)
 Sweet potato feathery mottle virus, indexing with ELISA, 911
 Sweets, L. E., 491
Syngonium podophyllum, *Acremonium* leaf spot of, nomenclature in control, 421, (422)
 Tachibana, H., 271, 693
 Tainter, F. H., 120
Talaromyces flavus, for *Verticillium* wilt on eggplant, biocontrol, 1166
 Tea, diseases of, in China, 961
 Teas, H. J., 522
 TeBeest, D. O., 323, 469
 Tekauz, A., 423
 Templeton, G. E., 323
 Teng, P. S., 429
 Teosinte, corn viruses on, 61
 Tepper, B. L., 829
 Tew, T. L., 1193
Thanatephorus cucumeris, on sugar beet, hymenial isolates of, 246, (247, 248)
 Thomas, C. E., 500
 Thompson, D. C., 265
 Thomson, S. V., 576
 Thongmeearkom, P., 365
 Thouvenel, J. C., 336
 Thurston, H. D., 390
Thyronectria austro-americana, on honeylocust, in Kansas, 155
 Tidwell, T. E., 1016
 Tien-Po, 337
Tilletia spp.
 on wheat
 importance, symptoms, epidemiology, and control, 979, (979, 982)
 international wheat trade affected by, 1083
 Timmer, L. W., 590
 Tobacco
 blue mold of
 metalaxyl control in seedbeds, 1014, (1015)
 metalaxyl resistant isolates, 44
 root-knot of, avermectins for control, 691
 Tobacco etch virus, lines resistant to, selection, 295
 Tobacco mosaic virus, pepper resistant to, 1062
 Tobacco ringspot virus
 on blueberry, in Oregon, 710
 on soybean, ELISA for evaluation, 790
 Toler, R. W., 849
 Tolin, S. A., 955
 Tomato
 bacterial speck of
 inoculation screening technique, 993
 resistance to, 46, 210
 spread and environmental condition, 713
 Colletotrichum and *Glomerella* pathogenic to fruit of, 1153
 Erwinia in fruits of, temperature effect, 302
 Fusarium wilt of
 cross-protection for control, factors, 908
 race 3 in Queensland, 165
 Pyrenochaeta lycopersici on, soil fumigation for, 657
 root-knot nematode of, resistance to, 406, (407)
 Septoria leaf spot of, resistance to, 239
 Verticillium dahliae races 1 and 2, on, resistance to, 34
 yellowing virus of, aphid transmission, yield and quality effect, 456, (457)
 Tomato mosaic virus, in soil and debris, persistence, 552, (553)
 Tomato ringspot virus
 on blueberry, in Oregon, 710, (711)
 on fruit crops, *Xiphinema* association, 735
 reservoirs of in fruit orchards, 583
 Tomato yellow leaf curl virus, importance in Jordan, 561

- Tooley, P. W., 472
- Toxins, aflatoxin, on corn, epidemic in Alabama, 221
- Tree disease
- decay in urban forests, 763, (764, 765, 768)
- ozone and nitrogen dioxide damage to, chronic doses, 1149
- root pathogen complex in national forest, Oregon, 240
- xylem sap extraction, device, 53
- Trevathan, L. E., 592, 696
- Trichoderma* spp.
- in soil, isolation medium, 1019
- on turf, biocontrol application, 1125
- harzianum*, bean seed treatment with, for damping-off, 788
- Trichodorus christiei*, on sunflower, control, 297
- Trichothecium roseum*, on rose, control, 491
- Trione, E. J., 1083
- Troutman, J. L., 415
- Trujillo, E. E., 116
- Tsuga mertensiana*, dwarf mistletoe on, in Alaska, 852, (853)
- Tu, J. C., 781
- Turf, *Sclerotium rolfsii* on, control by fungicides and *Trichoderma*, 1125
- Turfgrass
- bacterial disease of, oxytetracycline for, 804, (805, 806)
- Drechslera sorokiniana* on leaves, iprodione effect, 914
- Fusarium patch of, iprodione tolerance in, 112
- resistance to, in United States, breeding program, 341, (343)
- Sclerotium rolfsii* on, chemical control, 108, (110)
- Turnip mosaic virus
- on collards, identification, 253, (254)
- on garden balsam, destructive disease, 1076, (1077)
- Tylenchorhynchus* sp., on Japanese holly, in North Carolina, 125
- claytoni*, on woody ornamentals, susceptibility, 1176, (1178)
- Typhula* spp., on wheat, resistance in Washington, 1090, (1090)
- Uchida, J. Y., 421, 947
- Uncinula necator*, on grape, perennation, 678, (678)
- Unrah, T., 108, 1125
- Urs, R., 598
- Usher, R. W., 199
- Ustilago scitaminea*
- on sugarcane
- detection by stain technique, 932, (932)
- in Texas, 605, (605)
- Utkhede, R. S., 723
- Uyemoto, J. K., 216, 376
- van Slobbe, L., 900
- Vargas, J. M., Jr., 804, 914
- Varney, E. H., 1195
- Vassey, W. E., 112
- Venturia*
- inaequalis*, pseudothecia of, temperature effect, 464
- pirina*, on pear, fungicides as fall treatments for, 585
- Verticicladiella procera*
- on Christmas trees, pathogenicity, 211
- on pines, first Minnesota report, 260
- Verticillium*
- albo-atrum*
- on alfalfa
- first occurrence in Wyoming, 1080
- pathogenicity, 416
- on horseradish, root deterioration from, 410
- on potato, systemic insecticide effect, 1180
- on strawberry, outbreak in Florida, 856
- dahliae*
- on eggplant, biological control in field, 1166
- on peanut, metham sodium for, 128
- on *Peperomia*, new disease in Italy, 960, (960)
- on potato, *Erwinia* and *Fusarium* interaction, 1053
- races 1 and 2, tomato seedlings resistant to, 34
- fungicola*, on oyster mushroom, symptoms, 859, (859, 860)
- Vidaver, A. K., 76
- Vieira, J. C., 135
- Vigna unguiculata* (see Cowpea)
- Villalón, B., 605
- Viruses (general)
- on alfalfa and clover, enclosures for study of, 142
- on fungi, 1106
- geminivirus, diseases in tropical crops, 266
- insect transmission of, 99, (99)
- nematodes as vectors, feeding behavior, 639
- von Bretzel, P., 857
- Wade, N. L., 549
- Walker, H. L., 426
- Warren, H. L., 773
- Watermelon, *Phytophthora* on, seedling resistance, 373
- Watermelon mosaic virus, properties of, in Jordan, 330
- Waters, L., Jr., 904
- Waterworth, H. E., 87
- Webster, R. K., 31
- Weinhold, A. R., 815
- Welty, R. E., 48, 653
- Wheat
- bacterial mosaic of, 76, (77)
- breeding for disease resistance, CIMMYT approach, 967
- Cephalosporium stripe on, management practice, 229
- dwarf bunt of, international wheat trade affected by, 1083
- leaf rust in North Dakota, in 1979-81, 1174
- powdery mildew of, triadimefon for, 139
- Septoria* diseases of, distribution in California, 513
- snow mold of, resistance in Washington, 1090, (1090)
- strawbreaker foot rot of
- fungicides for, in Washington, 1056
- secondary inoculum role, 845
- Wheat soilborne mosaic virus, field reaction to, genetic studies, 1183
- Wheat spindle streak mosaic virus, first occurrence in Nebraska, 958, (959)
- Wheat streak mosaic virus, Montana isolates of, separation on amber wheat, 916
- White, A. M., 52
- White clover, viruses on, enclosures for study, 142
- White, G. A., 87
- White, J. A., 282
- Whiteside, J. O., 687
- Whitney, E. D., 664
- Whitney, G., 1114
- Wicks, T., 308, 839, 945
- Wiese, M. V., 229
- Wild rice
- brown spot of, fungicides for, 1001
- Drechslera gigantea* on, eyespot symptom, 737, (737)
- Williams, J. C., 1032, 1171
- Williams, R. J., 807
- Williams, R. N., 920
- Williams, W. T., 199
- Willis, W. G., 1183
- Wilson, C. L., 895
- Wilson, D. L., 376
- Wilson, L., 572
- Wingfield, M. J., 260, 934
- Witcher, W., 938
- Wood, W., 680
- Wright, W. C., 489
- Wrysinski, J., 678
- Wymore, L. A., 908
- Wyss, U., 639
- Xanthomonas*
- campestris*
- on cassava, resistance to, 316
- on citrus, ELISA for detection, 231 !
- on geranium, susceptibility, 59
- on rice, virulence, in Thailand and Philippines, 556
- selective medium for, 39
- on southern pea, detection of, 20
- vesicatoria*, on pepper, races of, 388
- Xiphinema* spp., on fruit crops, tomato ringspot virus association, 735
- americanum*, on blueberry, in Oregon, 710
- Yamamoto, D. T., 1136
- Yang, S. M., 572
- Yassin, A. M., 741
- Yik, C.-P., 707
- Yoder, K. S., 564, 580, 829, 1089
- Young, D. J., 236
- Young, L. D., 251
- Youngner, V. B., 265
- Zaske, S. K., 916
- Zehr, E. I., 225, 1101
- Zeiders, K. E., 502
- Zelazny, B., 547
- Zettler, F. W., 891
- Zink, R. T., 1053
- Zitter, T. A., 456
- Zizania aquatica* (see Wild rice)
- Zuber, M. S., 1159
- Zutra, D., 46, 1200

APS SUSTAINING ASSOCIATES

ABBOTT LABORATORIES, North Chicago, IL
 AGWAY, INC., Syracuse, NY
 AMERICAN ASSOCIATION OF NURSERYMEN, INC., Washington, DC
 AMERICAN CYANAMID CO., Princeton, NJ
 AMERICAN HOECHST CORP., Somerville, NJ
 ARIZONA AGROCHEMICAL CO., Phoenix, AZ
 BASF WYANDOTTE CORPORATION, Parsippany, NJ
 BFC CHEMICALS, INC., Wilmington, DE
 BUCKMAN LABORATORIES, INC., Memphis, TN
 BUTLER COUNTY MUSHROOM FARM, INC., Worthington, PA
 CARGILL, INC., Aurora, IL
 A. L. CASTLE, INC., Hollister, CA
 CHEVRON CHEMICAL COMPANY, Richmond, CA
 CHEVRON CHEMICAL COMPANY, San Francisco, CA
 CIBA-GEIGY CORP., Agricultural Division, Greensboro, NC
 DEKALB AG RESEARCH, INC., DeKalb, IL
 DEL MONTE CORP., San Leandro, CA
 DIAMOND SHAMROCK CORPORATION, Cleveland, OH
 DOW CHEMICAL CO., Midland, MI
 E. I. DU PONT DE NEMOURS & CO., Wilmington, DE
 FERRY-MORSE SEED CO., San Juan Bautista, CA
 FMC CORP., Agricultural Chemical Division, Middleport, NY
 FRITO-LAY, INC., Irving, TX
 FUNK SEEDS INTERNATIONAL, INC., Bloomington, IL
 GREAT LAKES CHEMICAL CO., W. Lafayette, IN
 GUSTAFSON, INC., Dallas, TX
 JOSEPH HARRIS CO., INC., Moreton Farm, Rochester, NY
 H. J. HEINZ CO., Bowling Green, OH
 ICI AMERICAS, INC., Goldsboro, NC
 ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC., Urbana, IL
 ILLINOIS FOUNDATION SEEDS INC., Champaign, IL
 KALO AGRICULTURAL CHEMICALS, INC., Quincy, IL
 ELI LILLY & CO., Greenfield Labs, Greenfield, IN
 MALLINCKRODT, INC., St. Louis, MO
 MERCK & CO., INC., Rahway, NJ
 MOBAY CHEMICAL CORPORATION, Kansas City, MO
 MOBIL CHEMICAL COMPANY, Richmond, VA
 NOR-AM AGRICULTURAL PRODUCTS, Naperville, IL
 NORTHRUP KING & CO., Minneapolis, MN
 OCCIDENTAL CHEMICAL CO., Lathrop, CA
 OGLEVEE ASSOCIATES, INC., Connellsville, PA
 OLIN CORPORATION, Agri Division, Little Rock, AR
 PENNWALT CORP., Tacoma, WA
 PFISTER HYBRID CORN CO., El Paso, IL
 PFIZER, INC., Chemical Division, TEKCHEM, New York, NY
 PFIZER GENETICS, INC., St. Louis, MO
 PIONEER HI-BRED INTERNATIONAL, INC., Johnston, IA
 PPG INDUSTRIES, INC., Pittsburgh, PA
 RHONE-POULENC INC., Monmouth Junction, NJ
 ROHM AND HAAS CO., Philadelphia, PA
 SANDOZ, INC., East Hanover, NJ
 O. M. SCOTT & SONS, Marysville, OH
 STAUFFER CHEMICAL CO., Mountain View, CA
 SUN PETROLEUM PRODUCTS COMPANY, Philadelphia, PA
 TIFA LIMITED, Millington, NJ
 UNITED BRANDS CO., La Lima Cortes, Honduras, C.A.
 UNIROYAL CHEMICAL, Bethany, CT
 THE UPJOHN CO., Kalamazoo, MI
 WONDER LIFE CORPORATION OF AMERICA, Des Moines, IA
 YODER BROTHERS, Barberton, OH

1982 Advertisers Index**Page Number**

Academic Press, Inc.	8, Cover 2, No. 1, Cover 4, No. 12
Agrotec Inc.	360
Bechtel	767
BioSciences Information Service	290, 1087
Campbell Scientific Inc.	351, 363, 623, 889, 1105
CRC Press, Inc.	Cover 4, No. 1
Electro/General Corporation	965, 985, 1109
Embassy of South Africa	873
Iowa State University Press	349
Irrrometer Company	84, 194, 348, 432, 879, 1093
Littlefield, Adams & Company	Cover 2, No. 3
Mobay Chemical Corporation	182-183, 188-189
Omnidata International Inc.	85, 101, 270
Plenum Publishing Corporation	766
Regnery Gateway, Inc.	Cover 4, No. 3
Ryan Instruments, Inc.	104, 438
Save Endangered Species	745
Springer-Verlag New York Inc.	448, 1108
Thomson Publications	Cover 4, No. 2
The University of Georgia Press	978
John Wiley & Sons, Inc.	274, Cover 4, No. 8